

**HANDHELD WIRELESS COMMUNICATION DEVICE**

Inventors: Matthew J. Murnaghan  
320 East Kensington Rd.  
North Vancouver, British Columbia  
Canada V7N1P3  
Citizen of Canada

Bruce D. Larsen  
2264 Gordon Ave.  
West Vancouver, British Columbia  
Canada V7V1W3  
Citizen of Canada

**BACKGROUND OF THE INVENTION**

**Field of The Invention**

[0001] The present invention relates generally to wireless communication devices and more particularly to multi-tasking capabilities for wireless communication devices.

**Description of Related Art**

[0002] Today, users reliance on wireless communication continues to steadily increase. This reliance includes the use of wireless communication with handheld devices. These devices include Sony™ CLIE™ personal data assistants and Palm™ handheld devices. These handheld devices allow a user to organize data and provide

reminders to the user of certain upcoming events such as meetings. In addition, these devices allow a user to wirelessly communicate.

5 [0003] The wireless communication capabilities allow a user to access electronic mail (email), the internet, and other web applications while they are using the handheld device. However, the user is not able to simultaneously run a communication application and a non-communication application with current single-threaded devices. For instance, when a user accesses the handheld device, the user typically runs an application, such as an address book function, games or a date book function. Thus, while an application such as the address book is in use, the user may not run a communication application, such as email. Instead, the user must end the application and then engage the wireless communication function. As may be appreciated, this interferes with the ability of a user to multitask with the device, such as running an application and checking email at the same.

10 [0004] In addition, as the user runs an application, if the user receives data, such as email, the handheld device does not inform the user of the new mail. The handheld device does not perform periodic checks to ascertain whether or not the user has received new communications. Currently, most handheld devices are single-threaded, thus, in order to determine whether or not new email has been sent, the user must end the application as described and access the email application. As may be appreciated, this prevents efficient use of the handheld device since the user must end an application in use prior to accessing their email account to determine whether or not the user has received email. Furthermore, current handheld devices require custom wireless communication devices tailored for that specific handheld device. Therefore, greater

costs are incurred in designing a specific modem for a particular handheld device. Also, the current modems available for handheld devices have a big footprint resulting from a short and thick configuration. As a result, the handheld device, when coupled with the prior art modems, tends to be cumbersome and difficult to use, thereby negating the handheld aspect of the handheld device due to the large size of the modem.

5 [0005] Moreover, in order to allow simultaneous charging of the wireless communication device and the handheld device, the wireless communication device include separate power chargers for the wireless communication device and the handheld device. The necessary hardware for the separate chargers (*i.e.* additional cables, addition circuitry, etc.) increased the overall complexity, weight and cost of the wireless communication device. Likewise, the added hardware increases the possibility of failure, thereby decreasing reliability of the wireless communication device.

10 [0006] Furthermore, as stated earlier, prior art modems were not adaptable for different handheld devices. To further illustrate, the configuration of prior art modems allowed interfacing with a single type of handheld device. As such, a modem for a particular handheld device could not be used for other devices. Manufacturers designed different modems for different handheld devices, thereby increasing manufacturing costs and ultimately costs to consumers. In addition to increased costs associated with prior art modems, prior art modems lacked the capability to interface directly with peripheral devices. Thus, prior art modems for handheld devices precluded users from engaging the modem with peripheral devices such as portable keyboards or the like.

15 20 [0007] Therefore, a need exists to provide a device which allows a user to simultaneously run non-communication and wireless communication applications in a

single-threaded configuration with a handheld device. The new device should allow periodic checks of email as the user operates separate functions with the handheld device. In addition, this new device should be lightweight, compact and use readily available components capable of providing wireless communication to the handheld device. Likewise, this new device should allow interface capabilities with additional peripheral devices and simultaneous charging of the modem along with the handheld device using a single connector. Also, the configuration of the wireless communication device should allow retention of modem capabilities during charging of the wireless communication device.

#### **BRIEF SUMMARY OF THE INVENTION**

**[0008]** The present invention fills the aforementioned needs by providing a wireless communication device for handheld devices such as personal data assistants. The new wireless communication device allows simultaneous charging of both the handheld device and the wireless communication device and interfacing of both the wireless communication device and the handheld device with peripheral devices.

**[0009]** In one embodiment of the present invention, a wireless communication device which allows wireless communication for a personal data assistant is disclosed. The wireless communication device includes a modem and a serial connector. The modem provides wireless communication capability to the wireless communication device. The configuration of the serial connector allows interfacing between the wireless communication device and the personal data assistant. Furthermore, the wireless communication device includes a pass-through serial connector which provides

connectivity between both wireless communication device and the personal data assistant with a peripheral device. The pass-through serial connector also allows simultaneous charging of the wireless communication device and the personal data assistant.

5 [0010] In another embodiment of the present invention, a wireless communication device which provides wireless communication to a personal data assistant is disclosed. The wireless communication device includes a modem and a pass-through serial connector. The modem provides wireless communication capability to the personal data assistant. The pass-through serial connector allows simultaneous charging of the wireless communication device and the personal data assistant. The pass-through  
10 serial connector also provides connectivity between a peripheral device and both the wireless communication device and the personal data assistant. Furthermore, the configuration of the wireless communication device allows the wireless communication device to hold the personal data assistant while the personal data assistant uses the modem of the wireless communication device.

15 [0011] In a further embodiment of the present invention, a communication device for providing wireless communication to a personal data assistant is disclosed. The communication device includes a connector, a modem and a pass-through serial connector. The connector provides connectivity between the communication device and the personal data assistant. The modem provides communication capability to the  
20 communication device and the personal data assistant. In one embodiment of the present invention, the personal data assistant uses the modem for communication capability via the connector. In addition to the modem, the communication also includes the pass-through serial connector. The pass-through serial connector allows simultaneous

charging of both the communication device and the personal data assistant. The pass-through serial connector also provides connectivity for both the communication device and the personal data assistant with a peripheral device.

[0012] In yet another embodiment of the present invention, a wireless communication device for providing wireless communication to a personal data assistant is disclosed. The configuration of the wireless communication device holds the personal data assistant during use of the wireless communication device with the personal data assistant. In one embodiment of the present invention, the wireless communication device has a first end which includes a serial port connector. The configuration of the serial port connector allows engagement of the serial port connector with a serial port connector of the personal data assistant in order to provide connectivity between the wireless communication device and the personal data assistant. In addition to the serial port connector, the wireless communication device also includes a top housing. The top housing has clips opposite the first end of the wireless communication device. The configuration of the clips allows the wireless communication device to hold the personal data assistant during use of both the wireless communication device and the personal data assistant. In addition, the wireless communication device also includes a pass-through serial port connector which allows simultaneous charging of both the wireless communication device and the personal data assistant. The pass-through serial port connector also provides connectivity between both the wireless communication device and the personal data assistant with a peripheral device.

[0013] Therefore, as may be appreciated, the present invention provides a wireless communication device capable of providing wireless communication to a

handheld device such as personal data assistant. The present invention increases convenience to a user since the present invention allows simultaneous charging of both the wireless communication device and the personal data assistant. Furthermore, the present invention allows simultaneous charging of the wireless communication device and the personal data assistant during hot-syncing of the personal data assistant, again increasing convenience to users.

**BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS**

[0014] Many advantages of the present invention will be apparent to those skilled in the art with a reading of this specification in conjunction with the attached drawings, wherein like reference numerals are applied to like elements and wherein:

[0015] Figure 1 is an embodiment of the present invention illustrating a handheld device communicating with a server via a wireless communication device.

[0016] Figure 2A is an embodiment of the present invention showing an exploded perspective view of the wireless communication device shown with respect to Figure 1, where internal components of the wireless communication device are more clearly shown.

[0017] Figure 2B shows a perspective view of the catch buttons shown with respect to Figure 2A, in accordance with one embodiment of the present invention.

[0018] Figure 3 illustrates a block diagram of the wireless communication device shown with reference to Figure 2, in accordance with one embodiment of the present invention.

**DETAILED DESCRIPTION OF THE INVENTION**

[0019] The present invention provides a device for providing wireless communication to a personal data assistant. As an overview, the present invention discloses a wireless communication device which holds a personal data assistant while providing wireless communication for the personal data assistant. In accordance with one embodiment of the present invention, the configuration of the wireless communication device allows simultaneous charging of the wireless communication device and the personal data assistant. In addition, as will be discussed in greater detail with respect to the accompanying drawings, the configuration of the wireless communication device allows connectivity between a peripheral device and both the wireless communication device and the personal data assistant.

[0020] Now making reference to the Figures, and more particularly Figure 1, Figure 1 shows a handheld device 101 communicating with a server 102 via a wireless communication device 100. In accordance with one embodiment of the present invention, the wireless communication device 100 may be a module capable of facilitating wireless communication for the handheld device 101 shown with reference to Figure 1. The handheld device 101 may be any device capable of serving as a personal data assistant (PDA), such as a Sony™ CLIE™ personal data assistant, a Palm™ handheld device or the like. The server 102 may be any remote or local device suitable for transmitting and receiving data. In accordance with one embodiment of the present invention, the server 102 includes communications and message notifications. A message notification indicates that a user has communications, such as electronic mail or the like, on the server 102. The handheld device 101 wirelessly communicates with the



server 102 using the wireless communication device 100. An antenna 105a of the wireless communication device 100 transmits data from the handheld device 101 to an antenna 105b of a cellular base station 103. The cellular base station 103 converts the wireless communication to land line communication. To further illustrate, with respect to wireless communication using a cellular digital packet data (CDPD) protocol, the cellular base station 103 converts the CDPD transmission protocol to land line communication, such that the cellular base station 103 may route the data to the server 102. Internal components of the wireless communication device 100, as more clearly shown with reference to Figure 2, facilitate wireless communication of the handheld device 101.

*Sub A17*  
[0021] Figure 2 is an exploded perspective view of the wireless communication device 100 shown with respect to Figure 1, where internal components of the wireless communication device 100 are more clearly shown. As may be seen with respect to the Figure, the wireless communication device 100 includes a top housing 104 having catches 106, catch buttons 106a and an LED port 108. The catches 106 hold the handheld device 101 as the handheld device 101 inserts into the wireless communication device 100.

[0022] Turning to Figure 2B and the catches 106 shown therein, the catches 106 include the catch buttons 106a and surfaces 106b. As the handheld device 101 inserts into the wireless communication device 100, sides A and B of the handheld device 101 come into contact with the surfaces 106b. The catches 106 hold the handheld device 101 in place until the handheld device 101 ejects from the wireless communication device 100. In order to eject the handheld device 101, the catch buttons 106a move in the

directions indicated by directional arrows  $Z_1$  and  $Z_2$ , thereby ejecting the handheld device 101 from the wireless communication device 100.

5 [0023] Turning back to Figure 2A, the LED port 108 of the top housing 104 allows viewing of indicators, such as LEDs 108a through 108c, by a user of the wireless communication device 100. The LEDs 108a through 108c indicate various functions performed by the wireless communication device 100. Among the functions indicated by the LEDs 108a through 108c include whether or not a data packet is either received by a modem 134 (shown with reference to Figure 3) or transmitted by the modem 134. Another function of the LEDs 108a through 108c includes indicating successful registration of the modem 134 with a CDPD network. In addition, the LEDs 108a through 108c indicate a low battery condition of a battery 126. Also, as the battery 126 charges, the LEDs 108a through 108c indicate the charging condition of the battery 126 by flashing at a slow rate. Upon full charging of the battery 126, the LEDs 108a through 108c turn on continuously.

15 [0024] In addition to the LEDs 108a through 108c, the top housing 104 also includes a connector 112. The connector 112 facilitates connection between the wireless communication device 100 and the handheld device 101. The connector 112 may be a serial port connector which facilitates coupling of the wireless communication device 100 with the handheld device 101. In a preferred embodiment of the present invention, 20 the connector 112 facilitates coupling of the wireless communication device 100 to a serial port connector of a Sony™ CLIE™ personal data assistant. In addition, in this embodiment, the connector 112 allows hot-synching of the handheld device 101 and

provides charging to the battery 126. Moreover, the connector 112 provides voltage and power to the modem 134 and includes hand-shaking functionality.

5 [0025] As described earlier, the connector 112 allows coupling of the wireless communication device 100 with the handheld device 101. Therefore, in order to accommodate different handheld devices (*i.e.*, different Sony™ CLIE™ personal data assistant models), the connector 112 may be replaced with another connector (not shown) in order to allow coupling of the wireless communication device 100 with a different handheld device 101. As such, the interchangeability of the connector 112 with different connectors adaptable for different handheld devices increases the adaptability of wireless communication device 100 with different handheld devices.

10 [0026] The wireless communication device 100 also includes custom interface circuitry 114. The custom interface circuitry 114 provides an electrical interface between the modem 134 and the handheld device 101. The custom interface circuitry 114 controls both the LEDs 108a through 108c and a battery charger input 140 (shown with reference to Figure 3) in addition to monitoring voltage of the battery 126 via a micro controller 136 (shown with reference to Figure 3). In one embodiment of the present invention, the custom interface circuitry 114 operates at +5.0 vdc. Moreover, the custom interface circuitry 114 includes circuitry which provides power management such as remote powering up and remote powering down in order to maximize the life of the battery 126. In addition to maximizing the life of the battery 126, the custom interface circuitry 114 also includes a pass-through serial connector 116.

20 [0027] In accordance with one embodiment of the present invention, the pass-through serial connector 116 is an external serial connector such as a SMK connector

having multi-functional capabilities available from SMK Corporation located in Santa Clara, Ca. These multi-functional capabilities include providing connectivity for both the wireless communication device 100 and the handheld device 101 with peripheral devices and various charging capabilities. The configuration of the pass-through serial connector 116 provides connectivity between the wireless communication device 100 and peripheral devices (not shown) which communicate with the handheld device 101 such as a portable keyboard, a MP3 player, a computer or the like. Likewise, the pass-through serial connector 116 also provides connectivity between the handheld device 101 and peripheral devices (not shown) such as a portable keyboard, a personal computer via a personal computer serial port or the like. It should be noted that the handheld device 101 and the peripheral device remain in communication with one another upon power down of the wireless communication device 100. Therefore, upon power down of the wireless communication device 100, the handheld device 101 still retains access to the peripheral device by passing through the wireless communication device 100.

**[0028]** The configuration of the pass-through serial connector 116 also allows hot-syncing of the handheld device 101 when the handheld device 101 and the wireless communication device 100 are coupled with one another. Likewise, the pass-through serial connector 116 allows hot-syncing of the handheld device 101 as the wireless communication device 100 charges. The pass-through serial connector 116 also allows simultaneous charging of the wireless communication device 100 and the handheld device 101 during hot-syncing of the handheld device 101. It should be noted that the pass-through serial connector 116 does not affect the hot-syncing capability of the

handheld device 101 when the handheld device 101 hot-syncs using the pass-through serial connector 116.

5 [0029] In addition to providing connectivity to both the wireless communication device 100 and the handheld device 101 with peripheral devices, the configuration of the pass-through serial connector 116 also provides various charging capabilities. The pass-through serial connector 116 allows simultaneous charging of both the wireless communication device 100 and the handheld device 101. Besides providing simultaneous charging, the pass-through serial connector 116 also allows charging of the wireless communication device 100 during use of the handheld device 101. Therefore, a user may simultaneously charge the wireless communication device 100 while performing other tasks the handheld device 101.

10 [0030] In addition to the pass-through serial connector 116, the wireless communication device 100 includes a clip assembly 118. The clip assembly 118 couples with the top housing 104, as shown with reference to the Figure. The top housing 104 couples with the clip assembly 118 using any suitable technique, such as fasteners, rivets, or the like. The clip assembly 118 holds the handheld device 101 with the wireless communication device 100 using clips 118a. The configuration of the clips 118a allow holding of the handheld device 101 by the wireless communication device 100 as shown with reference to the Figure. Therefore, the top housing 104 and the clips 118a provide a mechanical interface between the wireless communication device 100 and the handheld device 101. The wireless communication device 100 also includes the battery 126 which provides power to the wireless communication device 100. In one

A2  
concl - embodiment of the present invention, the battery 126 is preferably a 3.6 V lithium-ion battery providing between about 1130 mA to about 1500 mA of power.

[0031] In addition to the clip assembly 118, the top housing 104 also couples with a bottom housing 130. In one embodiment of the present invention, the top housing 104 and the bottom housing 130 may be formed out of any material suitable for forming a lightweight housing, such as plastic or the like. It should also be noted that the top and bottom housings 108 and 124 are configured such that the top and bottom housings 108 and 124 form the wireless communication device 100 into a streamlined, compact design, as may be seen with reference to Figure 1.

[0032] Now making reference to Figure 3, Figure 3 is an embodiment of the present invention illustrating a block diagram 132 of the custom interface circuitry 114 shown with reference to Figure 2. The wireless communication device 100 includes the modem 134, a micro controller 136 and a mini micro controller 138. The modem 134 interfaces with the custom interface circuitry 114 with an interface (not shown) having an 8-bit data bus, a 12-bit address bus and 16 control lines. The interface is electrically buffered and protected against electro static discharge (ESD) using any suitable technique, such as a solid state buffer having built-in ESD protection or any other technique suitable for electrical buffering and protection against ESD.

[0033] The modem 134 provides communication capability to the wireless communication device 100. In one embodiment of the present invention, the modem 134 may be a standard PC card capable of supporting a range of communication protocols to the wireless communication device 100, including cellular digital packet data (CDPD), code-division multiple access (CDMA), Ricochet network modem or the

like. In one embodiment of the present invention, the modem 134 is an AirCard 300™ available from Sierra Wireless of Richmond, British Columbia, Canada. In an embodiment using a CDPD PC card, the functionality of the CDPD communication protocol resides on the custom interface circuitry 114. Likewise, the protocol stack for the CDPD communication protocol resides on the custom interface circuitry 114. When the modem 134 successfully connects to a CDPD network in order to transmit data, the mini micro controller 138 activates one of the LEDs 108a through 108c in order to inform a user of a successful registration of the modem 134.

**[0034]** The mini micro controller 138, which resides on the custom interface circuitry 114, includes a wake-up function. In one embodiment of the present invention, the wireless communication device 100 periodically checks if the server 102 has received any message notifications for communications, such as electronic mail (email). The wireless communication device 100 periodically checks for communications using the wake-up function controlled with logic such as the mini micro controller 138. The mini micro controller 138 provides the necessary functionality to allow the modem 134 to periodically check at regular intervals for message notifications. The mini micro controller 138 may be any standard single chip micro-controller such as an TIMSP 430F1121, available from Texas Instruments Corporation, located in Dallas, Texas, or the like, capable of providing functionality which allows the modem 134 to periodically check for message notifications on the server 102. In alternative embodiments of the present invention, the logic may also be an application specific integrated circuit (ASIC), programmable logic, a processor, a field programmable gate array (FPGA) or the like. It should be noted that the wake-up function checks for communications and message

notifications regardless of whether or not the modem 134 or the wireless communication device 100 are connected to the handheld device 101. Therefore, the mini micro controller 138 automatically checks for communications stored on the server 102. When the mini micro controller 138 determines there are new communications, the mini micro controller 138 activates the LEDs 108a through 108c. The mini micro controller 138 activates the LEDs 108a through 108c by simultaneously flashing the LEDs 108a through 108c.

**[0035]** The mini micro controller 138 also provides advanced power management in one embodiment of the present invention. If the mini micro controller 138 determines that the modem 134 is not in use, the mini micro controller 138 may go into a power down mode, where a minimal amount of battery power is used while the modem 134 is not communicating. In one embodiment of the present invention, the mini micro controller 138 also monitors the voltage of the battery 126. Thus, as the voltage of the battery 126 drops and the amount of available power decreases, the mini micro controller 138 activates one of the LEDs 108a through 108c in order to indicate to a user of the handheld device 101 the low voltage of the battery 126. In this embodiment, the mini micro controller 138 flashes one of the LEDs 108a through 108c at a slow rate to indicate to a user the voltage status of the battery 126.

**[0036]** During charging of the battery 126, the mini micro controller 138 slowly flashes one of the LEDs 108a through 108c to indicate the charging status of the battery 126 to a user. Upon charging of the battery 126, one of the LEDs 108a through 108c turns on continuously. It should also be noted that when the wireless communication device 100 is coupled with the handheld device 100, the mini micro controller 138



indicates to a user via the handheld device 101, such as on a screen of the handheld device 101, the voltage level of the battery 126.

5 [0037] The micro controller 136 also resides on the custom interface circuitry 114. The micro controller 136 provides an interface between the handheld device 101 and the wireless communication device 100. The micro controller 136 also provides communication between the handheld device 101 and the wireless communication device 100. In one embodiment of the present invention, the micro controller 136 may be any embedded micro controller such as a Motorola 68 LC302 available from Motorola Incorporated located in Austin, Texas, or the like. The micro controller 136 buffers data received from a peripheral device coupled with the wireless communication device 100 via the pass-through serial connector 116. As such, the configuration of the micro controller 136 allows sharing of data between the wireless communication device 100 and the handheld device 101 received via the pass-through serial connector 116.

10 [0038] The micro controller 136 also contains software to run the modem 134. To further illustrate, if the wireless communication device 100 suddenly loses connectivity with the modem 134 during data transmission (*i.e.*, user inadvertently ejects the modem 134 from the wireless communication device 100), the software of the micro controller 136 prevents lock-up of the handheld device 101 and informs the user of the loss of connectivity. Furthermore, as previously described, the modem 134 may be a PC card capable of supporting a range communication protocols to the wireless communication device 100. The micro controller 136 includes software to run various PC cards supporting a range of communication protocols.

5 [0039] The custom interface circuitry 114 also includes circuitry for the battery charger input 140 incorporated into the pass-through serial connector 116. The battery charger input 140 charges the battery 126 with a DC power adapter. The DC power adapter may be any direct current power adapter such as a 5.7 volt dc 2 amp switching supply or linear supply or the like suitable for charging the battery 126 while simultaneously allowing operation of the modem 134 using the battery charger input 140. It should be noted that the wireless communication 100 may be charged while the wireless communication device 100 is either in communication with the handheld device 101 or not in communication with the handheld device 101. The battery charger input 10 140 includes inputs connected in parallel such that the inputs feed both wireless communication device 100 and the handheld device 101 during charging. Therefore, the wireless communication device 100 and the handheld device 101 may simultaneously charge by leaving each device in communication with one another while applying the DC power adapter to the wireless communication device 100.

15 [0040] The present invention now improves the convenience of handheld devices to users. The present wireless communication device provides multi-tasking capabilities to a handheld device. As such, a user of a handheld device having the present invention may check for received communications during operation of another application.

20 Furthermore, the compact and trim design of the wireless communication device of the present invention preserves the handheld nature of handheld devices, thereby making the overall package of the handheld device and the wireless communication device less cumbersome. Moreover, the present invention automatically checks for communications on a remote server while the modem is not connected with a handheld device using a

mini micro controller. Thus, the present invention automatically notifies a user of received communications while the user works with another application.

5 [0041] As may be appreciated, the present invention provides multitasking like capabilities to a single threaded device such as a personal data assistant. The personal data assistant accesses peripheral devices such as a remote keyboard or a personal computer while sending messages with the wireless communication device. Therefore, the multitasking capabilities of the present invention adds greater convenience and reduces the amount of time required by a user to perform various functions with a personal data assistant having the wireless communication device of the present invention.

10 [0042] Moreover, the present invention provides the ability of a wireless communication device to remain attached to a handheld device during charging. As previously stated, prior art modems lacked the capability to remain attached during charging. The present invention obviates this problem, thereby increasing convenience to users of the wireless communication device.

15 [0043] In addition, the present invention allows simultaneous charging of both the wireless communication device and the handheld device using a single connector, thereby avoiding the prior art problem of having separate connectors in a wireless communication device in order to allow for simultaneous charging of the wireless communication device and the handheld device. Thus, the present invention reduces complexity and increases reliability due to the fewer amount of components used in the present invention. The reduced complexity also reduces manufacturing costs and ultimate costs to consumers. As previously described, the invention may be easily

reconfigured for different personal data assistants. Therefore, the costs typically associated with redesigning wireless communication devices for different personal data assistants and plant retooling are avoided, thereby minimizing overall costs to users of the wireless communication device.

5 [0044] The above are exemplary modes of carrying out the invention and are not intended to be limiting. It will be apparent to those of ordinary skill in the art that modifications thereto can be made without departure from the spirit and scope of the invention as set forth in the following claims.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212